Document made available under the **Patent Cooperation Treaty (PCT)**

International application number: PCT/US05/009288

International filing date:

21 March 2005 (21.03.2005)

Document type:

Certified copy of priority document

Document details:

Country/Office: US

Number:

60/555,576

Filing date:

23 March 2004 (23.03.2004)

Date of receipt at the International Bureau: 02 May 2005 (02.05.2005)

Remark:

Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



1312075

'and). And: and varidate arieste partes en alla compete and compet

· UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

April 26, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/555,576

FILING DATE: March 23, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/09288

Certified by

DWD.

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office



PTO/SB/16 (01-04)

U.S. Patent and Tredomark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. EV 308276937 US

		INVENTOR(S)							
Given Name (first and middle	(if any) Famil	Family Name or Surname			Residence (City and either State or Foreign Country)				
DONALD		CLARY			RANCHO PALOS VERDES, CALIFORNIA				
Additional inventors are being named on theseparately numbered sheets attached hereto									
	TITLE OF TH	E INVENTION (50) characte	rs max)					
	THERMAL MANAGE	MENT OF LAMPS	IN A BACK	LIGHT SYST	ЕМ				
Direct all correspondence to:	CORRESPONDE	ENCE ADDRESS	_						
Customer Number:	23300								
OR L									
Firm or Individual Name									
Address									
Address									
City			ate		Zip				
Country	Te	lephone	Ll	Fax					
	ENCLOSED APP	LICATION PARTS	(check all	that apply)					
Specification Number of Pages 4 CD(s), Number									
☑ Drawing(s) Number of Sheets 7 ☑ Other (specify) Fee Sheet									
Application Date Sheet. S	See 37 CFR 1.76				Postal F	Receipt			
METHOD OF PAYMENT OF F	ILING FEES FOR THIS PF	ROVISIONAL APPLIC	ATION FOR	PATENT					
Applicant claims small er	Applicant claims small entity status. See 37 CFR 1.27. FILING FEE Amount (\$)								
A check or money order is enclosed to cover the filing fees.									
	The Director is herby authorized to charge filing								
leas of clean any overpayment to Deposit Account Nations.									
Payment by credit card.	Form PTO-2038 is attache	ed							
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.									
₩ No.									
No.									
Yes, the name of the U.S	. Government agency and	the Government cont	ract number	are:					
Respectfully submitted, \		[Page 1 of 2]	D	Pate Ma	423	2004			
SIGNATURE TOTAL) Topieto		R	EGISTRATION	NO.	36,264			
TYPED OF PRINTED NAME L	OIS A. SANTOPIETRO		(ii	f appropriate) locket Number		0016USPRV			

TELEPHONE (302) 892-7752

TELEPHONE (302) 892-7752

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete his form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Tradamark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mall Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (10-03)
Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
a collection of information unless it displays a valid OMB control number

Under the Paperwork Reduction Act of 1995, no p			spond t	J a COIN	JCHOIT (f Known	g a valia Givib C	
FEE TRANSM	HIA		Applic	ation I	Vumb	er				
· ·			Filing				arch 2	3, 2004		
for FY 2004			First Named Inventor			tor D	Donald Clary			
Effective 10/01/2003. Patent fees are subject to annual revision.			Examiner Name							
Applicant claims small entity status. See 37 CFR 1.27			Art Unit							
TOTAL AMOUNT OF PAYMENT (\$) 160.00			Attorney Docket No. DH0016USPRV					 -j		
		FEE CALCULATION (continued)								
METHOD OF PAYMENT (check all the		3. ADDITIONAL FEES								
Check Credit card Money Other	her None			ONAL Small		5				
Deposit Account:		Fee	Fee		Fee		Fee D	escription	1	_
Deposit Account 04-1928		1051	(\$) 130	2051	(\$) 65	Surebare		filing fee or d		Fee Paid
Number Deposit		1051	50	2051				provisional fi		
Account Name	ompany					cover she	eet			
The Director is authorized to: (check all that apply)		1053 1812	130 2.520	1053 1812		-			te reexamination	
	overpayments	1804	920*	1804	920°	Request	ing publi	cation of SIF		
Charge any additional fee(s) or any underpayment Charge fee(s) indicated below, except for the filin	5	1805	1 040*	1905		Examine	r action	Ication of SII		
to the above-identified deposit account.	g .cc	1000	1,840	1803	1,040	Examine	er action			
FEE CALCULATION		1251	110	2251	55			ply within firs		
1. BASIC FILING FEE		1252	420 950	2252	210 475			ply within se		
Large Entity Small Entity Fee Fee Fee Fee Description	Fee Pald	1253 1254	1,480	2253	740			ply within thi ply within fou		
Code (\$) Code (\$)			2,010	2255				ply within fift		
1001 770 2001 385 Utility filing fee 1002 340 2002 170 Design filing fee		1401	330	2401		Notice o				
1002 340 2002 170 Design filing fee 1003 530 2003 265 Plant filing fee	<u> </u>	1402	330	2402			• •	support of an	appeal	
1004 770 2004 385 Reissue filing fee		1403	290	2403	145	Request	for oral	hearing		<u></u>
1005 160 2005 80 Provisional filing fee	160.00	1451	1,510	1451				-	ise proceeding	<u> </u>
SUBTOTAL (1) (\$)	160.00	1452	110	2452				- unavoidat		
2. EXTRA CLAIM FEES FOR UTILITY AN	ID REISSUE	i	1,330	2453				e - unintentio	onal	
Fee fr Extra Claims belo	om	1501	1,330 480	2501 2502		Design i		(or reissue)		
Total Claims -20** = X	8 =	1503	640	2503		Plant is:				
Claims	6 =	1460	130	1460	130	Petition	s to the	Commission	er ,	
Multiple Dependent YES 290.6	७ ⁴	1807	50	1807	50	Process	sing fee	under 37 CF	R 1.17(q)	
Large Entity Small Entity Fee Fee Fee Fee Description		1806	180	1806	180	Submiss	sion of tr	formation D	isclosure Stmt	
Code (\$) Code (\$)		8021	40	8021	40	property	ng each (times	patent assig	mment per roperties)	
1202 18 2202 9 Claims in excess of 2	- 1	1809	770	2809	385		submiss	ion after fina		
1201 86 2201 43 Independent claims in 1203 290 2203 145 Multiple dependent c		1810	770	2810	385	•		anal invention	n lo be	
1204 86 2204 43 ** Reissue independe	ent claims					examine	ed (37 C	FR 1.129(b))	
over original paten		1801 1802	770 900	2801 1802	385 900	-		intinued Exa pedited exar	mination (RCE)	
1205 18 2205 9 ** Reissue claims in and over original p				•	500		sign app			
SUBTOTAL (2) (\$) 0.00		fee (sp			oo Poid				<u> </u>
**or number previously paid, if greater, For Reissu		Kedi	iceo by	Basic I	-ung F	ee Paid	S	UBTOTAL	(3) (\$)	0.00
SUBMITTED BY) /- d ·	4' 4'		***		(Complete (
Name (Print/Type) Lois A Sant	opietro		Registra Alforney	tion No (Agent)		36,26	4	Telephone	(302) 89	2-7752
Signature dis -	te grantment							Dete		POOC EC
WARNING: Information	on this form ma	av bec	ome p	ublic.	Cred	it card I	nforma	ition shou	ld not \	•

WAKNING Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

5

10

15

20

25

30

35

TITLE

THERMAL MANAGEMENT OF LAMPS IN A BACKLIGHT SYSTEM FIELD OF THE INVENTION

The present invention is directed to a lamp arrangement found in a display wherein a backlight includes at least two lamps having cathodes at each end and wherein the lamps are in a juxtaposed position and the cathodes of the lamps are not touching.

SUMMARY OF THE INVENTION

The invention is directed to a backlight system comprising: at least two juxtaposed cold cathode lamps wherein each lamp comprises cathodes at each end and wherein the lamps are positioned in a manner that the cathodes are not touching. The invention is further directed to a system of wherein the lamp cathodes are juxtaposed and longitudinally offset. The system is still further directed to wherein the lamps are juxtaposed and are not touching, or wherein the lamps are juxtaposed and are touching.

BRIEF DESCRIPTION OF THE DRAWING

Figures 1-7 illustrate lamp arrangements in backlight systems of liquid crystal displays.

DETAILED DESCRIPTION OF THE INVENTION

A lamp arrangement increases luminance in a Liquid Crystal Display (LCD). LCDs need a light source to be readable in natural and artificial lighting conditions. Figure 1 illustrates a light source (101) placed behind a LCD wherein the light source is called a backlight.

A backlight system typically includes one or more light sources such as cold cathode fluorescent lamps (CCFLs)(101) that inject light into a component, called a light guide (102). In addition, a reflector (not shown) may be a component of the system. The light guide may be a rectangular solid of transparent material, for example, an acrylic but any material that is typically used in the industry for a light guide may be used. The purpose of the light guide in a liquid crystal display (LCD) backlight system is to transport light from the lamps into the light guide, bend the light for example about 90°, and distribute the light across the rear surface of a LCD.

CCFLs are often used in backlighting LCDs or in automotive lighting. The miniature lamps can be long straight cylinders in a range of 1.8mm to 4mm in diameter, and a length from 25mm to 400mm. The straight cylinders may be formed into L or U bend lamps.

Cold cathode lamps have no special heating circuits in the cathode regions (at each end of the lamps). The typical office lighting fluorescent lamps are much

larger, and have specialized cathode-heating circuits, therefore, are called hot cathode fluorescent lamps.

In one embodiment, the most widely used CCFL lamps used in the industry today operate most efficiently at an optimum temperature of about 50°C. That is, more light is created from a given amount of electrical power at their optimum temperature than any other temperature. If the lamp deviates from its optimum temperature, for instance, it may operate colder or hotter from its optimum designated temperature, the light output diminishes, and drops off rapidly from its peak performance.

5

10

15

20

25

30

35

In a typical LCD configuration, a backlight system will often have one lamp on each of the two long lateral sides of a rectangular light guide (two lamps total). In this case, the lamps typically will not exceed the optimum temperature. Figure 2 shows an illustration of applications requiring more light; often two lamps (201) found in a juxtaposed position on each of the two long lateral sides of the light guide (4 lamps total). In this case, the lamps will operate at a temperature above the optimum, and will have reduced light output. Juxtaposed position means placed side-by-side or adjacent. The lamps and/or cathodes may be touching or may not be touching.

The hottest region of the CCFL lamp is at the ends, where the cathodes are located. If the paired lamps are placed in contact with an acrylic light guide (202), the cathodes may slightly melt the acrylic where the cathodes touch the acrylic. This is because the two cathodes are generating a great deal of heat in a small area. The paired cathodes are in juxtaposed position with no offset as shown in Figure 2.

Figure 3 illustrates one of the paired lamps (301) juxtaposed but shifted longitudinally or longitudinally offset by a small distance (about 4 or more millimeters). In the offset position, the cathodes are not touching each other and are generating the same amount of heat as in the parallel position but the heat is dissipated over a much larger area, wherein the lamps operate cooler and closer to their optimum temperature producing optimum light output. When one lamp of a pair of equal length lamps is longitudinally offset, the cathodes at the other end are offset by an equal amount. Thus, you get thermal benefits at both ends of the paired lamps. For example, an offset pair of CCFLs gives a luminance gain of about 20% as compared to the same pair with the cathodes positioned side by side to each other with no offset.

In another embodiment, the thermal management concept is further illustrated in Figure 4, if a trio (401) of CCFLs is placed on each of the two long lateral sides of a light guide (6 lamps total), the lamps reach optimum temperature

at about 10 seconds from power turn-on, resulting in a drop in light output as the lamps overheat from continued use. Therefore, this would not be a practical arrangement. Therefore, 3 lamps touching and positioned side by side with no offset is typically not used.

However, in another embodiment shown in Figure 5, if the light guide (501) is made thicker, and the lamps are placed so that the cathodes of the lamps are not touching (502) wherein the center lamp of a 3-lamp trio is longitudinally offset relative to the outside lamp (503) of the trio, the lamps run cool and make an effective design.

Another embodiment of the thermal management concept is illustrated in Figure 6, placing 4 lamps (601) of CCFLs on each of the two long lateral sides of a light guide (602) (8 lamps total), the thermal management becomes impractical with the passive cooling techniques. This can be remedied by place two lamps side by side but not longitudinally offset on each of the 4 lateral sides of the light guide which will decrease the amount of heat created by the cathodes.

However, Figure 7 illustrates a pair of lamps arranged on each of the 4 lateral sides of a rectangular light guide (701, 702, 703, 704) (8 lamps total), wherein one lamp is longitudinally shifted of each of the four pairs, resulting in an 8 lamps embodiment able to operate at an efficient temperature.

In conclusion, lamps become more efficient in a backlight system comprising at least two juxtaposed cold cathode lamps wherein each lamp comprises cathodes at each end and wherein the lamps are positioned in a manner that the cathodes are not touching. Also, it is desirable to longitudinally offset the cathodes.

DH0016 US PRV

CLAIMS

We Claim:

- 1. A backlight system comprising: at least two juxtaposed cold cathode lamps wherein each lamp comprises cathodes at each end and wherein the lamps are positioned in a manner that the cathodes are not touching.
- 2. The system of claim 1 wherein the cathodes are juxtaposed and longitudinally offset.
- 3. The system of claim 1 wherein the lamps are juxtaposed and are not touching.
- 10 4. The system of claim 1 wherein the lamps are juxtaposed and are touching.

15

5




Figure 1




Figure 2




Figure 3




Figure 4




Figure 4




Figure 5




Figure 6




Figure 7

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

SANTOPIETRO, Lois, A. E. I. Du Pont De Nemours And Company Legal Patent Records Center 4417 Lancaster Pike Wilmington, Delaware 19805 ETATS-UNIS D'AMERIQUE

(PCT Administrative Instructions, Section 411)

IMPORTANT NOTIFICATION					
International filing date (day/month/year) 21 March 2005 (21.03.2005)					
Priority date (day/month/year) 23 March 2004 (23.03.2004)					

- 1. By means of this Form, which replaces any previously issued notification concerning submission or transmittal of priority documents, the applicant is hereby notified of the date of receipt by the International Bureau of the priority document(s) relating to all cartier application(s) whose priority is claimed. Unless otherwise indicated by the letters "NR", in the right-hand column or by an asterisk appearing next to a date of receipt, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. (If applicable) The letters "NR" appearing in the right-hand column denote a priority document which, on the date of mailing of this Form, had not yet been received by the International Bureau under Rule 17.1(a) or (b). Where, under Rule 17.1(a), the priority document must be submitted by the applicant to the receiving Office or the International Bureau, but the applicant fails to submit the priority document within the applicable time limit under that Rule, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 3. (If applicable) An asterisk (*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b) (the priority document was received after the time limit prescribed in Rule 17.1(a) or the request to prepare and transmit the priority document was submitted to the receiving Office after the applicable time limit under Rule 17.1(b)). Even though the priority document was not furnished in compliance with Rule 17.1(a) or (b), the International Bureau will nevertheless transmit a copy of the document to the designated Offices, for their consideration. In case such a copy is not accepted by the designated Office as the priority document, Rule 17.1(c) provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Date of receipt Country or regional Office Priority application No. Priority date or PCT receiving Office of priority document 23 March 2004 (23.03.2004) 60/555.576

US

02 May 2005 (02.05.2005)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

CHAHINE Leila

Facsimile No. (41-22) 338.89.95 Telephone No. +41 22 338 9999

Facsimile No. +41 22 338 82 70 Form PCT/IB/304 (January 2004)

CHB284DU